

Caution: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Sent: 12/20/2024 9:45:20 AM
From: Hailey Spessard <hailey.spessard@flocksafety.com>
To: "Wendy"
Cc: "Graham" , "Jeffrey"
Bcc:
Importance: Normal
Subject: Re: FW: Permit Application 0424-NSV-0053:
Encroachment Policy Exception Needed
Attachments [image001.png](#) , [image002.jpg](#) , [image003.jpg](#)
: , [image004.png](#) , [image005.png](#)

Good Morning Wendy -

Quick update for you!

Our Permitting Manager, Derek, spoke with Soratha Sing (CalTrans) this morning and he let us know that he received comments from CalTrans Headquarters that your application is currently with structures for structural concurrency. He will send us comments (if applicable) once the structural review is complete.

We will continue to check in with Soratha until we have either those comments or an ETA on permit approval.

I will be out of office starting 12/23 and will return 1/2 so I will check back in with you in the New Year.

Thank you for your continued patience and Happy Holidays!!

On Tue, Dec 10, 2024 at 9:49 AM Hailey Spessard <hailey.spessard@flocksafety.com> wrote:
Good Morning Wendy -

Just a quick update regarding your CalTrans permit.

We are still pending CalTrans to confirm if the Structural Analysis we submitted is acceptable or if anything needs to be revised before they will approve the permit.

We checked back in with them on 12/6 and Soratha Sing (CalTrans) replied the same day and said he would personally reach out to the Review Unit to get an answer here.

Apologies I do not have a better update here but we will continue to follow up with Soratha until that is confirmed and the permit is issued.

Please let me know if you have any questions and thank you for your continued patience!

On Tue, Nov 26, 2024 at 2:09 PM hailey.spessard <hailey.spessard@flocksafety.com> wrote:
Hey Wendy -

Just wanted to check in before the upcoming Holiday!

We are pending CalTrans to confirm if the Structural Analysis we submitted is acceptable or if anything needs to be revised before they will approve the permit.

We checked back in with them today, 11/26, and Soratha Sing (CalTrans) let us know that they are just pending confirmation from their review unit on if we are clear to proceed.

We will continue to check in until CalTrans approves the permit for your remaining camera ([REDACTED]) but please let me know if you have any questions in the meantime.

Happy Thanksgiving!

On Thu, Nov 14, 2024 at 2:20 PM Hailey Spessard <hailey.spessard@flocksafety.com> wrote:

Hi Wendy -

Just a quick update for you!

We are still pending CalTrans permit approval in order to move forward with your remaining camera ([REDACTED]).

We are checking back in with Soratha Sing (CalTrans Inspector) to see if we can get an ETA on when this permit will be issued.

I will keep you posted here but please let me know if you have any questions in the meantime.

Thank you!

On Thu, Oct 31, 2024 at 11:38 AM Hailey Spessard <hailey.spessard@flocksafety.com> wrote:

Hey Wendy -

So it appears that that alternate pole is owned by PG&E so unfortunately we won't be able to utilize it.

However! Our vendor re-ran the structural calculation on the original location with more detailed foundation drawings and it passed!

This was submitted back over to CalTrans on 10/18 so we are just pending their review and approval.

Apologies for the back and forth here!

I will keep you posted as your permit progresses but please let me know if you have any questions in the meantime!

Thanks,

On Tue, Oct 22, 2024 at 1:49 PM Hailey Spessard <hailey.spessard@flocksafety.com> wrote:

Hey Wendy -

I went ahead and shot that location to our Mapping and Permitting Teams to see if it is feasible and out of CalTrans' ROW.

I will have an answer for you shortly!

Thanks,

On Tue, Oct 22, 2024 at 1:44 PM Wendy Stratton-Monahan
<WMonahan@ci.benicia.ca.us> wrote:

We are wondering about one site in particular, but we aren't sure about the distance to the onramp. Can you look at this one? It's the same intersection, just a different location. There is a light pole here (per the shadow) and if this is feasible, we will approach the owner of the property (if privately owned).

Wendy Stratton Monahan
Management Analyst II/PD PIO

Benicia Police Department
200 East L Street

Benicia, CA 94510
707-746-4306



From: Hailey Spessard <hailey.spessard@flocksafety.com>
Sent: Tuesday, October 22, 2024 11:39 AM
To: Wendy Stratton-Monahan <WMonahan@ci.benicia.ca.us>
Cc: Graham Carter <graham.carter@flocksafety.com>
Subject: Re: FW: Permit Application 0424-NSV-0053: Encroachment Policy Exception Needed

Caution: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Hey Wendy -

I know y'all are working on an Alt location for [REDACTED]

I will be out of office starting tomorrow, 10/23 and returning 10/30 but please feel free to send over any Alt locations my way and I can have our Mapping Team review them upon my return.
If you'd also like to get a mapping call scheduled we can work on that as well!

Please let me know if you have any updates here and have a great rest of your week!

Thanks,

On Tue, Oct 22, 2024 at 10:53 AM Graham Carter
<graham.carter@flocksafety.com> wrote:

Hello Wendy,

I'm actually going to drop Support off of this one. What does your schedule look like for Thursday or Friday? I'd love to jump on a zoom with you and get a few things taken care of while we are there. I can add this to the list.

On Tue, Oct 22, 2024 at 8:51 AM Wendy Stratton-Monahan
<WMonahan@ci.benicia.ca.us> wrote:

We put out a state wide request to have access to cameras. We have had a lot of agencies grant us access, but our searchable camera count has not changed. I looked up my active cases and it is not listed there.

In my case submission, I attached the pdf that is attached here and explained that the list of cameras that we are able to search does not match the map of the places that have granted us searchable access...for example, Stockton. It is shown on the map as us having access, but is not in the list of searchable cameras.

Wendy Stratton Monahan
Management Analyst II/PD PIO

Benicia Police Department
200 East L Street

Benicia, CA 94510
707-746-4306



From: Hailey Spessard <hailey.spessard@flocksafety.com>
Sent: Tuesday, October 22, 2024 8:43 AM
To: Wendy Stratton-Monahan <WMonahan@ci.benicia.ca.us>
Cc: Flock Safety Support <support@flocksafety.com>; Graham Carter <graham.carter@flocksafety.com>
Subject: Re: FW: Permit Application 0424-NSV-0053: Encroachment Policy Exception Needed

Caution: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Hey Wendy!

I am looping in [@Flock Safety Support](#) as well as your Customer Success Manager, [@Graham Carter](#) to hopefully assist here!

Can you please forward us your Support Ticket request (or if there is a number attached to it)?

Would you be able to elaborate on the issues you are running into with the search function?

Thanks!

On Mon, Oct 21, 2024 at 2:59 PM Wendy Stratton-Monahan
<WMonahan@ci.benicia.ca.us> wrote:

When you get a moment, can you call me? I put in a help ticket last week for a website issue and haven't heard back. I need some clarification on our search tool, which doesn't appear to be working properly.

Wendy Stratton Monahan
Management Analyst II/PD PIO

Benicia Police Department
200 East L Street

Benicia, CA 94510
707-746-4306



From: Hailey Spessard <hailey.spessard@flocksafety.com>
Sent: Monday, September 9, 2024 6:43 PM
To: Mark Menesini <MMenesini@ci.benicia.ca.us>
Cc: Wendy Stratton-Monahan <WMonahan@ci.benicia.ca.us>; Graham Carter <graham.carter@flocksafety.com>
Subject: Re: FW: Permit Application 0424-NSV-0053: Encroachment Policy Exception Needed

Caution: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Howdy All -

Nice to virtually meet you!

It looks like we only have one outstanding camera ([REDACTED])
to get permitted and installed for you.

Unfortunately we were unable to get those requested as-builts for this pole, however, a Flock Technician went out and took the needed measurements of the pole.

Those measurements and images have been sent to our permitting vendor to complete the CalTrans required structural analysis for this location.

This should take ~1-2 weeks to complete, then we can get that over to CalTrans so that they can continue their review of this permit request.

I will keep you updated here as this location progresses but please feel free to refer to your [Google Tracker](#) (location details) and your [Deployment Tracker](#) (real-time updates) in the meantime.

Thank you!

On Fri, Aug 16, 2024 at 2:01 PM Melissa Barker-Solsbery <melissa.barker-solsbery@flocksafety.com> wrote:

Hello,

I hope you are having a fantastic Friday! Due to a restructuring within our team, [@Hailey Spessard](#) will be taking over your account. You can reach out to her with any questions. You're in great hands!

We followed up with CalTrans on 8/14 asking for the as-builts again. We are pending a response.

Cameras pending permit:

- [REDACTED]

Cameras In Service:

- [REDACTED]



Best Regards,
Melissa

On Thu, Aug 1, 2024 at 10:21 AM Melissa Barker-Solsbery
<melissa.barker-solsbery@flocksafety.com> wrote:

Good Morning,

I hope you are having a wonderful Wednesday.

Our permitting team received comments from CalTrans requesting structural calculations to be run off of their as-builts. We have requested the as-builts from CalTrans and are pending them to be sent to us so we can have the structural calculations ran on them. We have not received them yet. We have sent 2 follow ups, the latest being today. I will keep you updated on when the as-builts are received and the structure has been completed, and we have resubmitted to CalTrans.

Please let me know if you have any questions.

Best Regards,
Melissa

On Wed, Jul 3, 2024 at 4:07 PM Mark Menesini
<MMenesini@ci.benicia.ca.us> wrote:

Thank you for the update.

From: Melissa Barker-Solsbery <melissa.barker-solsbery@flocksafety.com>
Sent: Wednesday, July 3, 2024 10:58 AM
To: Mark Menesini <MMenesini@ci.benicia.ca.us>
Cc: Wendy Stratton-Monahan <WMonahan@ci.benicia.ca.us>; Graham Carter

<graham.carter@flocksafety.com>

Subject: Re: FW: Permit Application 0424-NSV-0053: Encroachment Policy Exception Needed

Caution: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Good Morning,

I hope you are having a wonderful Wednesday.

Our permitting team received comments from CalTrans requesting structural calculations to be run off of their as-builts. We have requested the as-builts from CalTrans and are pending them to be sent to us so we can have the structural calculations ran on them. I will keep you updated when that has been completed and we have resubmitted to CalTrans.

Please let me know if you have any questions.

Best Regards,
Melissa

On Thu, Jun 6, 2024 at 1:45 PM Mark Menesini
<MMenesini@ci.benicia.ca.us> wrote:

Thanks for the update.

Mark Menesini

Interim Chief of Police

Benicia Police Department

200 East L Street

Benicia, CA 94510

(707)746-4262



From: Melissa Barker-Solsbery <melissa.barker-solsbery@flocksafety.com>
Sent: Thursday, June 6, 2024 12:40 PM
To: Mark Menesini <MMenesini@ci.benicia.ca.us>; Wendy Stratton-Monahan <WMonahan@ci.benicia.ca.us>
Cc: Graham Carter <graham.carter@flocksafety.com>
Subject: Re: FW: Permit Application 0424-NSV-0053: Encroachment Policy Exception Needed

Caution: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Hello,

I hope you are having a great Thursday!

Camera #50 is still going through the permitting process with CalTrans. We followed up on 5/29, and they advised that they are still reviewing. I will keep you updated on the progress.

Please let me know if you have any questions.

Best Regards,

Melissa

On Fri, May 10, 2024 at 9:01 AM Melissa Barker-Solsbery <melissa.barker-solsbery@flocksafety.com> wrote:

Good Morning,

I hope you are having a fantastic Friday!

We have resubmitted to CalTrans, and it is going through their review process. I will keep you updated on the progress.

Please let me know if you have any questions.

Best Regards,
Melissa

On Wed, May 8, 2024 at 3:30 PM Mark Menesini
<MMenesini@ci.benicia.ca.us> wrote:

Thanks Wendy. Great Job.

Mark Menesini

Interim Chief of Police

Benicia Police Department

200 East L Street

Benicia, CA 94510

(707)746-4262



From: Luis Martinez <luis.martinez@flocksafety.com>

Sent: Wednesday, May 8, 2024 12:58 PM

To: Wendy Stratton-Monahan <WMonahan@ci.benicia.ca.us>; Melissa Barker-Solsbery <melissa.barker-solsbery@flocksafety.com>; Mark Menesini <MMenesini@ci.benicia.ca.us>

Cc: Graham Carter <graham.carter@flocksafety.com>; Derek Porcella

<derek.porcella@flocksafety.com>; Erica Anderson <erica.anderson@flocksafety.com>

Subject: Re: FW: Permit Application 0424-NSV-0053: Encroachment Policy Exception Needed

Caution: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Thanks Wendy!

We will forward to Caltrans.

--

Luis Martinez

Manager, Permitting

luis.martinez@flocksafety.com



5626317008



flocksafety.com

From: Wendy Stratton-Monahan

<WMonahan@ci.benicia.ca.us>

Date: Wednesday, May 8, 2024 at 12:57 PM

To: Melissa Barker-Solsbery <melissa.barker-solsbery@flocksafety.com>, Mark Menesini <MMenesini@ci.benicia.ca.us>

Cc: Graham Carter <graham.carter@flocksafety.com>, Luis Martinez <luis.martinez@flocksafety.com>, Derek Porcella <derek.porcella@flocksafety.com>, Erica Anderson <erica.anderson@flocksafety.com>

Subject: RE: FW: Permit Application 0424-NSV-0053: Encroachment Policy Exception Needed

Good afternoon. I am not sure if you need this, but here is a stamped copy of the NOE that was recorded with Solano County this morning.

Wendy Stratton Monahan
Management Analyst II

Benicia Police Department
200 East L Street

Benicia, CA 94510
707-746-4306



From: Melissa Barker-Solsbery <melissa.barker-solsbery@flocksafety.com>
Sent: Friday, April 26, 2024 8:27 AM
To: Mark Menesini <MMenesini@ci.benicia.ca.us>; Wendy Stratton-Monahan <WMonahan@ci.benicia.ca.us>
Cc: Graham Carter <graham.carter@flocksafety.com>; Luis Martinez <luis.martinez@flocksafety.com>; Derek Porcella <derek.porcella@flocksafety.com>; Erica Anderson <erica.anderson@flocksafety.com>
Subject: Re: FW: Permit Application 0424-NSV-0053: Encroachment Policy Exception Needed

Caution: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Good Morning!

I hope you are having a fantastic Friday.

CalTrans has notified us that the local agency in this case the City has to actually file the CEQA Exemption with the California Clearinghouse.

EBI has completed the CEQA Notice of Exemption (NOE). Please sign or have Public Works sign it and send us a copy. There is a date highlighted in yellow that needs to be updated when it is submitted. Let us know the date in which they submit to the clearing house. Then we can resubmit to CalTrans with the signed NOE.

Please let us know if you have any questions.

Best Regards,
Melissa

On Thu, Apr 11, 2024 at 12:24 PM Melissa Barker-Solsbery
<melissa.barker-solsbery@flocksafety.com> wrote:

Hello,

I hope you are having a great Thursday!

I wanted to provide you with an update regarding camera [REDACTED]
[REDACTED] with CalTrans.

Flock permitting is working to address the comments received from CalTrans D4. For the resubmittal, our permitting team is working on the Policy Exception Letter, CEQA exemption, and revised site plans.

We have submitted the request to EBI (environmental consultant) to prepare and submit the CEQA exemption on Benicia's behalf. EBI said it would take about 2 - 3 weeks to prepare the exemption application. Once it is prepared, they then have to post the CEQA exemption application to the California State Clearinghouse for 30 days to allow other agencies to review and comment if they have any concerns. Once the 30 days is up, EBI will produce a CEQA exemption document that we will then resubmit to CalTrans along with the policy exception letter and the revised site plans. CalTrans will then review.

Please let me know if you have any questions.

Best Regards,
Melissa

On Thu, Mar 14, 2024 at 4:08 PM Melissa Barker-Solsbery
<melissa.barker-solsbery@flocksafety.com> wrote:

Hello Lt Menesini and Wendy,

I hope you are doing well.

I wanted to provide you with an update that our permitting team is still working with CalTrans and EBI regarding the NEPA (National Environmental Protection Act) and CEQA (California Environmental Quality Act) requirements for the Policy exception. We are slowly getting clarification on what documentation and steps are needed. I will keep you updated on the progress and if anything is needed from you.

Please let me know if you have any questions if you have any questions or concerns.

Best regards,

Melissa

On Mon, Mar 4, 2024 at 1:04 PM Melissa Barker-Solsbery
<melissa.barker-solsbery@flocksafety.com> wrote:

Hi Wendy,

Thank you so much. I've updated our records and will make sure you have copied the updates going forward.

Best Regards,

Melissa

On Mon, Mar 4, 2024 at 12:01 PM Irma Widjojo
<IWidjojo@ci.benicia.ca.us> wrote:

Of course... sorry. My email is wmonahan@ci.benicia.ca.us

Wendy Stratton Monahan
Management Analyst II

Benicia Police Department
200 East L Street

Benicia, CA 94510
707-746-4306



From: Melissa Barker-Solsbery <melissa.barker-solsbery@flocksafety.com>
Sent: Monday, March 4, 2024 9:47 AM
To: Irma Widjojo <IWidjojo@ci.benicia.ca.us>
Cc: Mark Menesini <MMenesini@ci.benicia.ca.us>; Graham Carter <graham.carter@flocksafety.com>
Subject: Re: FW: Permit Application 0424-NSV-0053: Encroachment Policy Exception Needed

Caution: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Hello Wendy,

Thank you so much for notifying me. Of course. I will update our records. Can you please confirm for me the best email for you? It looks like I am still getting the email from Irma's email address.

Thank you so much!

Best regards,
Melissa

On Mon, Mar 4, 2024 at 9:58 AM Irma Widjojo
<IWidjojo@ci.benicia.ca.us> wrote:

Melissa,

Irma is no longer with the City of Benicia, and I am now in her position. Can you please remove Irma as your contact and include me so that I don't miss these emails?

Many thanks.

Wendy Stratton Monahan
Management Analyst II

Benicia Police Department
200 East L Street

Benicia, CA 94510
707-746-4306



From: Melissa Barker-Solsbery <melissa.barker-solsbery@flocksafety.com>
Sent: Wednesday, February 28, 2024 2:16 PM
To: Mark Menesini <MMenesini@ci.benicia.ca.us>;
Irma Widjojo <IWidjojo@ci.benicia.ca.us>
Cc: Graham Carter <graham.carter@flocksafety.com>
Subject: Re: FW: Permit Application 0424-NSV-0053:
Encroachment Policy Exception Needed

Caution: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Hello Lt

Menesini,

I hope you are doing well.

Flock permitting is working to address the comments from CalTrans, including the NEPA requirement.

Flock's permitting team met with the consulting firm EBI to review the NEPA (National Environmental Protection Act) and CEQA (California Environmental Quality Act) requirements for the Policy exception from CalTrans D4.

CalTrans has informed us that the CEQA report has to be done in the City's name. We will need confirmation from your City's public works that they would like EBI to do the CEQA report or if the City would like to do the report as it will be in their name.

Could you please advise if your public works will do the CEQA report or if we should ask EBI to proceed on the City's behalf?

Please let me know if you have any questions.

Best Regards,

Melissa

On Mon, Feb 5, 2024 at 2:15 PM Mark Menesini <MMenesini@ci.benicia.ca.us> wrote:

Thanks for the quick response. I appreciate it.

From: Melissa Barker-Solsbery <melissa.barker-solsbery@flocksafety.com>

Sent: Monday, February 5, 2024 12:57 PM
To: Mark Menesini <MMenesini@ci.benicia.ca.us>
Cc: Graham Carter
<graham.carter@flocksafety.com>
Subject: Re: FW: Permit Application 0424-NSV-0053: Encroachment Policy Exception Needed

Caution: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Hello Lt

Menesini,

Thank you so much for sharing this. I touched base with my permitting manager, Derek. He will be reviewing and working on the encroachment policy exception that is needed. This may take several weeks. He typically has to reach out to CalTrans to get clarification as well. I will keep you updated on the progress or if they have any questions for you.

Best Regards,
Melissa

On Mon, Feb 5, 2024 at 10:53 AM Graham Carter <graham.carter@flocksafety.com> wrote:

Let me tag in our PM. [@Melissa Barker-Solsbery](#) I believe this request pertains to [THIS](#) project. Could we take a look at the below question? (copying and pasting to save time.)

"Hi

I have recently been assigned as the permit writer for Permit Application #0424-NSV-0053. After review of the permit application, it has been determined that an Encroachment Policy Exception is needed in order to perform your scope of work (Installation of 1 license plate reading cameras on

Hwy 780 in the city of Benicia,) in our State Right-of way. Please submit to me a letter requesting for an Encroachment Policy Exception using the provided attached template and instruction guidelines. I've also attached a copy of the permit application and plans you provided for the application for your reference. Upon receipt of the Encroachment Policy Exception letter, a review team will determine whether the request is acceptable.

In addition to the Encroachment Policy Exception letter, I have just the permit application package for our functioning units to review and comment.

If there should be any question, please feel free to contact me.

Thanks,

Soratha Sing

Transportation Engineer

510-520-0853"

Graham
Carter
Senior
Customer
Success
Manager

415-329-1307 flocksafety.com

Join me for a live training session!

Tuesday 4:00-5:30pm CT

Thursday 11:00am-12:30pm CT

-
-
On Mon, Feb 5, 2024 at 9:49 AM Mark Menesini
<MMenesini@ci.benicia.ca.us> wrote:

Graham,

This is a very complex request from the state. Is
this something your team handles as part of the
permit process?

-

From: Michael Greene
<MGreene@ci.benicia.ca.us>
Sent: Friday, February 2, 2024 1:17 PM
To: Mark Menesini
<MMenesini@ci.benicia.ca.us>; Edward Criado
<ECriado@ci.benicia.ca.us>
Subject: Fwd: Permit Application 0424-NSV-
0053: Encroachment Policy Exception Needed

-
-
Sent from my iPad

Begin forwarded message:

From: "Sing, Soratha@DOT"
<soratha.sing@dot.ca.gov>
Date: February 2, 2024 at 1:09:55 PM
PST
To: Michael Greene
<MGreene@ci.benicia.ca.us>, derek.porcella@flocksafety.com
Subject: **Permit Application 0424-
NSV-0053: Encroachment Policy
Exception Needed**

Caution: This email originated from outside of the organization. Do not click links or
open attachments unless you recognize the sender and know the content is safe.

-
Hi

I have recently been assigned as the permit writer for Permit Application #0424-NSV-0053. After review of the permit application, it has been determined that an Encroachment Policy Exception is needed in order to perform your scope of work (Installation of 1 license plate reading cameras on Hwy 780 in the city of Benicia,) in our State Right-of way. Please submit to me a letter requesting for an Encroachment Policy Exception using the provided attached template and instruction guidelines. I've also attached a copy of the permit application and plans you provided for the application for your reference. Upon receipt of the Encroachment Policy Exception letter, a review team will determine whether the request is acceptable.

-

In addition to the Encroachment Policy Exception letter, I have just the permit application package for our functioning units to review and comment.

-

If there should be any question, please feel free to contact me.

-

Thanks,

-

Soratha Sing

Transportation Engineer

510-520-0853

-

-

-
--

Melissa
Barker-
Solsbery
Project
Manager

7209854860 flocksafety.com

-
--

Melissa
Barker-
Solsbery
Project
Manager

7209854860 flocksafety.com

-
--

Melissa
Barker-
Solsbery
Project
Manager

7209854860 flocksafety.
com

-
--
--

Melissa
Barker-
Solsbery
Project
Manager

7209854860 flocksafety.
com

-
--
--

Melissa
Barker-

Solsbery

Project

Manager

7209854860 flocksafty.
com

-

--

Melissa

Barker-

Solsbery

Project

Manager

7209854860 flocksafty.
com

-

--

Melissa

Barker-

Solsbery

Project

Manager

7209854860 flocksafty.
com



Melissa Barker-
Solsbery
Project Manager



 [7209854860](tel:7209854860)  flocksafety.com





Melissa Barker-
Solsbery
Project Manager



 [7209854860](tel:7209854860)  flocksafety.com



Police Use Flock to Identify Vehicle Used During a Homicide

WARNER ROBINS PD | GEORGIA

#SolvedStories



Melissa Barker-
Solsbery
Project Manager



 [7209854860](tel:7209854860)  flocksafety.com



--



Melissa Barker-Solsbery
Project Manager



 [7209854860](tel:7209854860)  flocksafety.com





Melissa Barker-Solsbery
Project Manager



 [7209854860](tel:7209854860)  flocksafety.com





Hailey Spessard

Project Manager - Core



 flocksafety.com

 Due to volume, please allow 2-3 business days for a response



Book Time with Me



--



Hailey Spessard

Project Manager - Core

OOO 10/23 and returning 10/30



 flocksafety.com

 Due to volume, please allow 2-3 business days for a response



Book Time with Me



--



Hailey Spessard
Project Manager - Core



flocksafety.com

Due to volume, please allow 2-3 business days for a response



Book Time with Me

flock safety | AERODOME

**Flock Acquires
Aerodome to
Revolutionize
Drone as First
Responder (DRF)**



--



Hailey Spessard

Project Manager - Core



flocksafety.com

⌚ Due to volume, please allow 2-3 business days for a response



Book Time with Me

flock safety | AERODOME

**Flock Acquires
Aerodome to
Revolutionize
Drone as First
Responder (DRF)**



--



Hailey Spessard

Project Manager - Core



flocksafety.com


⌚ Due to volume, please allow 2-3 business days for a response



Book Time with Me



--



Hailey Spessard
Project Manager - Core



flocksafety.com

Due to volume, please allow 2-3 business days for a response



--



Hailey Spessard
Project Manager - Core



flocksafety.com

Due to volume, please allow 2-3 business days for a response



flock safety®

We're excited to be ranked **#89** on Deloitte's Technology Fast 500

GET THE DETAILS



Hailey Spessard

Project Manager - Core



flocksafety.com

Due to volume, please allow 2-3 business days for a response

flock safety®

LISTEN NOW

REAL-TIME POLICING:
**WHEN
MOMENTS
MATTER**
flock safety

Why are you building
a real-time center?

Book Time with Me



Hailey Spessard
Project Manager - Core



flocksafety.com

Due to volume, please allow 2-3 business days for a response

SEASON 1 | EPISODE 4

What is a Crime Analyst in a real-time center?

LISTEN NOW



flock safety®
REAL-TIME POLICING
When Moments Matter





 Book Time with Me

Public Records Exemptions

Enclosed please find a copy of the response documents for your public records request. The following information is provided to explain the process employed to review and produce the response documents.

Reason	Description	Pages
--------	-------------	-------